

08 November 2024

## NOTICE TO RELEVANT STAKEHOLDERS

Dear Sir/Ma'am:

This refers to the draft regulations distributed through the World Trade Organization - Technical Barriers to Trade (WTO-TBT) website (www.epingalert.org) from October 26 to November 1, 2024

Relative thereto, we respectfully invite stakeholders to comment on the notified draft technical regulations from: Thailand and Indonesia

Document Symbol	Notifying Member	Relevant Dates	Products Covered	Summary
G/TBT/N/ THA/710/ Rev.1	Thailand	Date of Distribution: 31 October 2024 Deadline for Comments: 30 November 2024	Hot-dip zinc 5% to 13% aluminium-2% to 4% magnesium alloy-coated flat steel	The draft Ministerial Regulation mandates hot- dip zinc-aluminium (5% and above)- magnesium (2% and above)-alloy-coated flat steel to conform to the Thai Industrial Standards TISI 2981-25XX (20XX) Hot-Dip Zinc-Aluminium (5% and above)-Magnesium (2% and above)-Alloy-Coated Flat Steel.This standard specifies technical specifications, characteristics, marking and labelling, sampling, and testing requirements for hot-dip zinc-aluminium (5% and above) - magnesium (2% and above) - alloy-coated flat steel that may be chemical-coated to adjust its surface, in the form of sheets, strips, and corrugated sheets with minimum thickness of 0.11 mm, with pitch of 76 mm and depth of 18 mm for large corrugated sheets, and pitch of 32 mm and depth of 9 mm for small corrugated sheets.
<u>G/TBT/N/</u> <u>THA/711/</u> <u>Rev.1</u>	Thailand	Date of Distribution: 31 October 2024 Deadline for Comments: 30 November 2024	Hot-dip zinc 0.5% to 6% aluminium 0.4% to 4% magnesium alloy-coated flat steel - Revision	The draft Ministerial Regulation mandates hot- dip zinc-aluminium (0.5% and above)- magnesium (0.4% and above)-alloy-coated flat steel to conform to the Thai Industrial Standards TIS 3059-25XX (20XX) Hot-Dip Zinc-Aluminium (0.5% and above)-Magnesium (0.4% and above)-Alloy-Coated Flat Steel. This standard specifies technical specifications, characteristics, marking and labelling, sampling, and testing requirements for hot-dip zinc-aluminium (0.5% and above)- magnesium (0.4% and above)-alloy-coated flat steel that may be chemical-coated to adjust its surface, in the form of sheets, strips, and corrugated sheets with minimum thickness of 0.11 mm, with pitch of 76 mm and depth of 18 mm for large corrugated sheets, and pitch of 32 mm and depth of 9 mm for small corrugated sheets.
<u>G/TBT/N/</u> I <u>DN/43/</u> <u>Add.4</u>	Indonesia	Date of Distribution: 30 October 2024	Uncoated seven strainless steel wire for prestressed	Addendum of Mandatory Implementation of Indonesia National Standard under G/TBT/N/IDN/43/Add.3 dated 31 January 2018 for Regulation of Minister of Industry No. 28/M-IND/PER/7/2017 concerning
		Deadline for Comments:	concrete reinforcement	Mandatory Implementation of SNI for Steel Wire of Pre-stressed Concrete for Concrete

## **BUREAU OF PHILIPPINE STANDARDS**

Membership:

Ø 3/F Trade and Industry Building

361 Sen. Gil Puyat Avenue, Makati City, 1200 Philippines

The provide the second state of the provided state o

- International Organization for Standardization (ISO) • International Electrotechnical Commission (IEC)
- World Trade Organization (WTO) Technical Barriers to Trade (TBT) - National Enquiry Point (NEP)
  - National Notification Authority (NNA)



Not indicated	- Addendum	Construction, has been revoked and replaced by Regulation of Minister of Industry No. 15 Year 2024 concerning Mandatory Implementation of Indonesia National Standard for Steel Wire of Pre-stressed Concrete for Concrete Construction. The Regulation covers the issuance of SNI certificate using type 5 certification scheme, production process assessment and implementation of ISO 9001:2015, including product quality testing basedon : SNI 1154:2016 and SNI 154:2016/Amd1:2019 for Uncoated Seven Steel Wire for Prestressed Concrete (Ex.7312.10.91, Ex. 7312.10.99)SNI 1155:2016 and SNI 1155:2016/Amd1:2019 for Uncoated Steel Wire for Prestressed Concrete (Ex. 7217.10.33, Ex. 7217.10.39, Ex. 7229.20.00, Ex. 7229.90.21, Ex. 7229.90.29, Ex. 7229.90.99)SNI 7701:2016 and SNI 7701:2016/Amd1:2019 on Tempered and Quenched Steel Wire for Prestressed Concrete (Ex. 7217.10.22, Ex. 7217.10.29, Ex. 7229.20.00, Ex. 7229.90.99)Domestic or imported Steel Wire of Pre-stressed Concrete for Concrete Construction product that has been produced before this Ministerial Regulation comes into effect can still be distributed up to a maximum of 12 (twelve)
		distributed up to a maximum of 12 (twelve) months from the date of enforcement.

To access the notification form, right click the document symbol to open the hyperlink. Should you have any queries on this matter or request for full text of draft regulation in English, please do not hesitate to email us at BPS@dti.gov.ph copy bps.smd@dti.gov.ph.

Thank you.

Sincerely,

 $\bigotimes$  3/F Trade and Industry Building

361 Sen. Gil Puyat Avenue, Makati City, 1200 Philippines

Tronk and a start and a star

**NEIL P. CATAJAY** Director

## **BUREAU OF PHILIPPINE STANDARDS**

Membership:

- International Organization for Standardization (ISO)
- International Electrotechnical Commission (IEC)
- World Trade Organization (WTO) Technical Barriers to Trade (TBT)

   National Enquiry Point (NEP)
   National Notification Authority (NNA)